

Tata Institute of Fundamental Research

Survey No. 36/P, Gopanpally Village, Serilingampally, Ranga Reddy Dist., Hyderabad - 500107

Internal Seminar

Role of small GTP-binding protein Arl8b and its RUN domain-containing interaction partners in regulating cargo trafficking to lysosomes

Rituraj Marwaha

IISER, Mohali

Lysosomes are degradation hub of cells and also play a crucial role in diverse cellular processes such as plasma membrane repair, antigen presentation, tumour invasion and metabolic signalling. Arl8b is small GTP-binding protein (G) that predominantly resides on lysosomes and regulates both its anterograde motility and fusion with late endosomes by recruiting its downstream effectors. To further explore the role of Arl8b and its effectors, we have identified RUN domain-containing proteins, PLEKHM1 and Rabip4', as novel Arl8b interaction partners and elucidated the significance of these interactions.

We deciphered that PLEKHM1 serves as a linker between Arl8b and late endosomal small G-protein Rab7, facilitating the recruitment of fusion machinery to vesicle contact sites and regulates degradation of endocytic and autophagic cargo. We noted that PLEKHM1 and SKIP, both of which bind to Arl8b via their respective RUN domains compete for binding to Arl8b and position lysosomes in opposing manner. In the second project, we found that Rabip4' and Arl8b colocalized primarily on early endosomal structures and Arl8b depletion led to partial loss of Rabip4' from endosomal membranes. Rabip4' and Arl8b interaction is essential for maintaining endolysosomal morphology and regulates endocytic cargo degradation. Further, Rabip4' regulates maturation of Salmonella-containing vacuole in the host cells and Rabip4' depletion led to defective Salmonella replication in mammalian cells.

Wednesday, Feb 20th 2019 2:30 PM (Tea/Coffee at 2:00 PM) Seminar Hall, TIFR-H