

# TATA INSTITUTE OF FUNDAMENTAL RESEARCH

Plot No.36/P, Gopanpally Village, Serilingampally Mandal, Ranga Reddy District.  
Hyderabad - 500 107, Telangana, India.

Telephone: +91-40-2020 3020  
Website: [www.tifrh.res.in](http://www.tifrh.res.in)

Email: [purchasegroup@tifrh.res.in](mailto:purchasegroup@tifrh.res.in)

Date: 02-11-2018

## Notice Inviting Tender cum Tender Document (Two Part Public Tender) for the following items:

**Supply, Installation, Commissioning of Submerged Type Wire-Cut EDM Machine for TIFR Hyderabad.**

As per our technical specifications: **Qty. - 1 No.**

Public Tender No.	<b>TFR/PD/IC18-29/F-432/180437</b>
Published on	<b>03-11-2018</b>
Tender Fees	For Indian Supplier - Rs. 700/- For Foreign Supplier-USD 100
EMD	For Indian Supplier - Rs. 2,22,750/- For Foreign Supplier - USD 2995
Estimated Cost	<b>Rs. 1,11,37,500/-</b>
Last Date for Submission of Bid	<b>26-11-2018 upto 13.00 Hrs.</b>
Date of Opening Bids(Part A)	<b>26-11-2018 at 16.00 Hrs.</b>

**Both Technical Bid (Part A) and Financial Bid (Part B)** to be submitted within the due date and time in separate envelopes and marked on top as Part A and Part B. These two sealed envelopes should be further put in one Master Envelope super scribed with the Tender No., Due Date in Bold Letters.

Please see attached sheet for conditions of tender.

Note: All future corrigendum/addendum will be published in TIFR Hyderabad website only. All prospective bidders are requested to visit our website regularly for any such updates/Corrigendum/Addendum.

**ADMINISTRATIVE OFFICER  
(PURCHASE SECTION)  
TIFR, HYDERABAD**

## SCOPE OF SUPPLY - ANNEXURE A

### Technical Specifications for Supply, Installation, Commissioning of Submerged Type Wire-Cut EDM Machine for TIFR Hyderabad.

Sr. No.	Technical Specifications of Submerged Type Precision CNC Wire-Cut EDM Machine
<b>1</b>	<p><b>Machine description and application:</b> The Submerged Type Precision CNC Wire-cut EDM machine is intended for complex profile cutting and thin wall cutting with high surface finish on materials like Titanium alloys, Copper alloys, Aluminum alloys, High Strength Steels Graphite, Carbides, Molybdenum, Niobium etc. This machine shall have 4 axes simultaneous control for X, Y, U and V axis. The machine shall be equipped with state-of-the-art CNC control system, drives, feedback system and generator</p>
<b>2</b>	<b>Main Features of the machine:</b>
2.1	Submerged wire cutting type with rigid machine body base
2.2	Hardened and ground Linear Motion Guideways in all axes. Brand is to be specified.
2.3	Hardened and ground ball screws, THK make or equivalent with accuracy grade C1 or better as per JIS B 1192-1997, in all the three axes. Brand is to be specified.
2.4	Centralized automatic lubrication system
2.5	Direct feedback system with Heidenhain or equivalent make linear glass scales for X&Y axis and encoders for U&V axis with 0.1 Microns resolutions
2.6	Inbuilt safety feature (Mechanical anti-collision system) to avoid collision & damage of any axis, X, Y, U, V and Z. In the event of crash, there should be a mechanism to absorb the impact force and should not cause damage to machine or part. Operator must be able to clear the Alarm and restore to normal working condition with reset button.
2.7	Foot Print 2700 x 2100 x 2500 maximum
2.8	Machine Power - Up to 15KVA
2.9	Automatic & Programmable wire threading system
<b>3.0</b>	<b>Axis travel</b>
3.1	X-axis (mm) 350mm (or better)
3.2	Y-axis (mm) 250mm (or better)
3.3	Z-axis (mm) 250mm (or better)
3.4	U-axis (mm) $\pm 45$ mm (or better)
3.5	V-axis (mm) $\pm 45$ mm (or better)
3.6	Maximum taper angle $\pm 25^\circ$ (or better) for 80 mm part height
<b>4.0</b>	<b>Work Area:</b>
4.1	Nominal job envelop L x W x H (mm) 750 x 650 x 210 mm (or more)

4.2	Work piece weight without bath (Kg) 400 Kg or more
4.3	Maximum work piece weight with bath (Kg). Bidder to specify.
4.4	Standard (Round Diamond Guides ) wire diameter kit, 0.1 mm to 0.3 mm (At least 3 Guides)
4.5	Automatic dielectric level control provision
4.6	Sufficient Light for work area & Warning Light system
<b>5.0</b>	<b>Positional Accuracies for full traverse:</b>
5.1	Positional Accuracy (A) for X,Y,U&V axes - 0.005mm or better
5.2	Bi-Directional Positioning Repeatability (R) for X,Y,U&V axes - 0.005mm or better
5.3	Reversal Value (B) - 0.003 or better
<b>6.0</b>	<b>Feed &amp; feedback system:</b>
6.1	Type of drive - Digital servo drives
6.2	Drive element - Preloaded backlash free ball screws
6.3	Type of feedback - Closed loop
<b>7.0</b>	<b>Traverse feed rates:</b>
7.1	Rapid traverse of linear axes X,Y,U&V (m/min) – 3000mm/min or better
<b>8.0</b>	<b>Generator</b>
8.1	The generator shall be of latest version having Preloaded features/technologies for cutting with high surface finish on materials like Titanium alloys, Copper alloys, Aluminum alloys, High Strength Steels Graphite, Carbides, Molybdenum, Niobium etc. Few samples will be supplied for verification.
8.2	Electronics – state-of-the-art highly reliable solid state components (such as FPGA etc.) based digital generator. Electrical - state-of-the-art highly reliable copper based components
8.3	Standard anti-electrolysis feature. Few samples will be supplied for verification.
8.4	Cutting speed with 0.3 mm diameter copper or brass wire and steel work piece – 300 (mm <sup>2</sup> /min) or better
8.5	Finishing quality & best roughness Ra on steel – 0.2 µm or better
8.7	Control feature to control influences of wire wear and flushing pressure
8.8	Dynamic path optimization and process adaptation in the radii
8.9	Real time detection and correction of the wire bending
8.10	Dynamic corner control
8.11	Automatic power optimization
<b>9.0</b>	<b>Wire threading system:</b>
9.1	Automatic & Programmable wire threading system

9.2	Programmable wire tension (daN) 0.3 to 3
9.3	Wire tension meter
9.4	Wire alignment tool
9.5	Weight of wire spool - 7 Kg (or more)
<b>10.0</b>	<b>Die-electric conditioning unit:</b>
10.1	Integrated resin based dielectric conditioning unit
10.2	Dielectric capacity - 500 liters or better
10.3	Filter cartridges for sludge - Filtrate quality - 5 $\mu\text{m}$
10.4	Programmable flushing pressure
10.5	Chiller unit for cooling dielectric
<b>11.0</b>	<b>CNC system and programming:</b>
11.1	Remote control/ Hand wheel with all setup functions. Display should be touch with 19" touch type.
11.2	Operating system – Bidder to specify.
11.3	Servo controlled axes X,Y,Z,U&V
11.4	Simultaneously controlled axes X,Y,U&V
11.5	Resolution - 0.1 $\mu\text{m}$ or better
11.6	Automatic restart after power failure. No disturbance of Accuracy of Machine.
11.7	Hard disk capacity – at least 10 GB for program and drawing storage
11.8	RAM capacity – 1 GB or better
11.9	Network connection; Ethernet port and USB
11.10	Network protocol – IP based (IPV 4 and 6 compatible)
11.11	CD/DVD ROM drive
11.12	2D/3D Machining simulation
11.13	Incremental or absolute programming
11.14	Wire radius compensation
11.15	Canned cycle for wire alignment
11.16	ISO programming in metric & inch
11.17	Cartesian, polar programming
11.18	Parametric programming
11.19	Mathematical functions, logical operators
11.20	Coordinate transformation, linear transformation
11.21	Rotation in the machining plane
11.22	Mirror image
11.23	Scaling
11.24	Copy function

11.25	Automatic corner rounding
11.26	Sub programs or object programs
11.27	Background programming
11.28	Onboard documentation for error message list, maintenance book, consumable list & machining Recommendation
<b>12.0</b>	<b>Human Machine Interface:</b>
12.1	Display with touch screen 19" TFT
12.2	Key for start point return
12.3	Key for hold point return
12.4	Key for filling and draining the tank
<b>13.0</b>	<b>Compensation:</b>
13.1	Pitch error compensation
13.2	Quadrant error compensation
13.3	Backlash compensation
<b>14.0</b>	<b>Machine Guarding:</b>
14.1	All moving parts/guide way/ball screws shall be protected against dust incursion by providing suitable cover/bellows
14.2	Machine shall be provided with adequate guarding & doors
14.3	Installation conditions – Bidder to specify
<b>15.0</b>	<b>Tests</b>
15.1	Geometrical tests: As per supplier's test chart (supplier should enclose standard test chart with numerical values and test procedure along with the offer indicating the basic standard adopted for the approval of the purchaser).
15.2	Practical tests: Standard test jobs of various materials
15.3	Accuracy and repeatability test : as per ISO 230 -2 (97) standard for positional and geometrical accuracies
<b>16.0</b>	<b>Standard accessories</b>
16.1	Installation accessories like anti vibration pads, hand tools, grease gun etc.
16.2	Test mandrels for all geometrical tests.
16.3	All Hand tools and tool box for general operation and servicing of the machine.
16.4	Mechanical, electrical & electronics spare parts & wear parts for 30 months operation of the machine
<b>17.0</b>	<b>The supplier shall furnish the following information along with the quotation</b>
17.1	Detailed catalogue of the machine and other accessories.
17.2	Drawings of foundation details, if any. Machine supplier may quote for civil work optionally.

17.3	Geometrical alignment and practical test chart for the machine offered indicating the guaranteed accessories.
17.4	The overall size and weight of the machine
17.5	Supplier should provide complete PLC listing in English along with comments (Hardcopy + Soft copy).
17.6	Service manuals and complete electrical diagrams should be provided.
17.7	Supplier should indicate distinct milestones for stage inspection and final inspection of the machine.
<b>18.0</b>	<b>Onsite Training</b>
18.1	The supplier shall arrange the application & operation training of four persons and the maintenance (mechanical and electronics) training of three persons in TIFR for a period of minimum ten working days during and after the installation and commissioning of the machine
<b>19.0</b>	<b>Pre-Dispatch Inspection &amp; Testing at Manufacturer's works:</b>
19.1	Practical Test: Wire cut Machining of at least 5 test pieces of various materials and manufacturer's standard test specimen to prove the accuracy, repeatability, maximum material removal rate, best surface finish etc.
19.2	Geometrical Accuracies: Machine will be inspected and tested for geometrical accuracies at manufacturer's works and witnessed by our representatives (2/3 persons) as per standard test chart issued by the supplier.
19.3	Positioning Accuracy and repeatability test: Positioning accuracy and repeatability will be tested as per ISO 230 -2 (97) witnessed by the purchaser's representatives. Supplier has to arrange for necessary equipment.
<b>20.0</b>	<b>Erection &amp; Commissioning</b>
20.1	Erection & commissioning of the machine at the purchaser's site to be carried out by the supplier. Support will be provided by the purchaser.
<b>21.0</b>	<b>Final acceptance at purchaser's works after commissioning</b>
21.1	Geometrical Accuracies: Machine will be inspected and tested in the presence of supplier's representative for geometrical accuracies as standard test chart issued by the supplier.
21.2	Positioning Accuracy and repeatability test: Positioning accuracy and repeatability will be tested in the presence of supplier's representative as per ISO 230 -2 (97)
21.3	Practical Test: Wire cut Machining of at least 5 test pieces of various materials and manufacturer's standard test specimen to prove the accuracy, repeatability, maximum material removal rate, best surface finish etc.
<b>22.0</b>	<b>Warranty</b>
22.1	Standard 30 months from date of commissioning of the machine at purchaser's works.
<b>23.0</b>	<b>General Terms and Conditions</b>
23.1	As per Tender Document

## **NOTE**

- The Technical Bid should include specific answers strictly with respect to our above mentioned Technical Specifications. Deviations if any should be highlighted with clarifications. Otherwise, the Bid will not be taken into consideration.
- The supplier should furnish the quantitative values with respect to specified values in the Technical specification of the quote clearly instead of just mentioning “Complied”, “Agreed” or “Confirmed” etc. otherwise the Tender Quote is liable to be rejected

### **Sample Format**

<b>Sr. No.</b>	<b>Technical Specifications of Submerged Type Precision CNC Wire-Cut EDM Machine</b>	<b>Specification Value / Remarks</b>	<b>Deviations if any/Remarks</b>
<b>3.0</b>	<b>Axis travel</b>		
3.1	X-axis (mm) 350mm (or better)	400 mm	
3.2	Y-axis (mm) 250mm (or better)	260 mm	
3.3	Z-axis (mm) 250mm (or better)	240 mm	

# Audited Annual Turnover

## Annexure - B

S.No.	Financial/ Accounting Year	Profit (Rs.)	Loss (Rs.)	Annual Turnover (in INR)
1.				
2.				
3.				

**Authorized Signatory with Seal**

**Note:**

**This Audited Annual Turnover (Annexure - B) for the last 3 years should be certified by Chartered Accountant (CA) as per the format given above duly signed and stamped by the CA on their letterhead.**



**Supply Order Details of Submerged Type Wire-Cut EDM Machine  
to Other Firms.**

**Annexure - C**

<b>S.No.</b>	<b>Name of the company with full address</b>	<b>Name of the Project</b>	<b>Purchase Order No. &amp; Date</b>	<b>Brief Item Description with Model No.</b>	<b>Item Value in Currency</b>
	<b>Signature</b>				
	<b>Name</b>				
	<b>Designation</b>				
	<b>Name of the Company</b>				
	<b>Date</b>				
	<b>Seal of the Company</b>				

# **TATA INSTITUTE OF FUNDAMENTAL RESEARCH**

## **Centre for Interdisciplinary Sciences**

**Plot No.36/P, Gopanally Village, Serilingampally Mandal, Ranga Reddy District.  
Hyderabad - 500 107, Telangana, India.**

### **(PURCHASE SECTION)**

- 1. PART "A" (Technical Bid) consisting of Technical Bid with Commercial Terms and PART "B" (Financial Bid) consisting of only Price** shall be submitted in **separate** sealed envelopes duly superscribed with the tender enquiry number, and the due date in bold letters, addressed to the Administrative Officer, Tata Institute of Fundamental Research, Plot No.36/P, Gopanally Village, Serilingampally Mandal, Ranga Reddy District. Hyderabad-500 107, Telangana, India. The envelopes should be clearly marked on top as either PART "A" or PART "B".

The two sealed covers should be further put in a master cover superscribed with the Tender Enquiry No., Due Date in bold letters, addressed to the Purchase Officer, Tata Institute of Fundamental Research, Plot No.36/P, Gopanally Village, Serilingampally Mandal, Ranga Reddy District. Hyderabad-500 107, Telangana, India. The sealed master envelop has to be delivered by hand/courier at the security Gate Office of TIFR-TCIS on or before 13.00 hrs. on the due date specified. The technical bid will be opened in the presence of attending tenderers at 16.00 hrs. on the due date at Purchase Section, TIFR-TCIS, Hyderabad. Tenders submitted after 13.00 hrs. on due date will not be considered.

- 2. In case the PART "A" and Part "B" bids are not sealed in separate envelopes the tender will be rejected.**
- 3. The technical bid should not contain any indication of the price. The bidder should take special care not to mention anything related to pricing and costing aspect of whatsoever nature. The technical bid should include/contain only technical specifications, technical literature, drawing, quantity, manufacturing and delivery schedule, mode and terms of payment, mode of dispatch, the quantum and percentage of statutory levies payable by the purchaser as extra and all related commercial terms and conditions for the supply and for the services like erection and commissioning to be rendered by the tenderer. The details of the validity of the tender should also be indicated along with the commercial details.**
- 4. After scrutiny of Technical Bids, Financial bids of only those bidders who are shortlisted on technical basis will be opened at on later date. The opening date, time and venue will be intimated to the technically successful bidder.**
- 5. All the bidders/contractors should provide Company Authorization Letter duly signed and stamped by Competent Authority to participate in the tender related meetings at TIFR Hyderabad.**

## **6. Tender Document Fee:**

- a. For Indian Supplier: Tender fee for Rs. 700/- (Non-refundable) in the form of D.D. in favour of "TIFR Centre for Interdisciplinary Sciences", payable at Hyderabad to be enclosed with the Technical Bid (Part - A).
- b. For Foreign Supplier: Tender fee of USD 100 (Non-refundable) in the form of advance cheque in favour of "TIFR Centre for Interdisciplinary Sciences", payable at Hyderabad to be enclosed with the Technical Bid (Part A).

## **7. Earnest Money Deposit (EMD):**

- a. For Indian Supplier: Earnest Money Deposit (EMD) for Rs. 2,22,750/-in the form of D.D. in favour of "TIFR Centre for Interdisciplinary Sciences", payable at Hyderabad to be enclosed along with the technical Bid (Part - A).
- b. For Foreign Supplier: Earnest Money (EMD) for USD 2995 in the form of advance cheque in favour of "TIFR Centre for Interdisciplinary Sciences", payable at Hyderabad to be enclosed with the Technical Bid (Part - A).

EMD shall be interest free and it will be refunded to the unsuccessful bidder without any interest. EMD will be forfeited if the bidder withdraws or amend impairs orderogates from the tender in any respect.

## **8. Bidders who have not accepted the job/order awarded to them or withdrawn from the tender process OR whose EMD/Security deposit has been forfeited in the past their bids will not be considered and treated as ineligible / disqualified.**

9. After downloading the documents please inform your company details such as name, address, telephone nos., contact person and email address etc. by email to us ([purchasegroup@tifrh.res.in](mailto:purchasegroup@tifrh.res.in)) to enable us to inform prospective bidder for any corrigendum/changes if any; in the Tender document before due date.
10. Quotations must be valid for a period of 180 days from the due date.
11. Tenders containing correction, overwriting will not be considered. Late or delayed/Unsolicited quotations/offers shall not be considered at all. These will be returned to the firms as it is. Post tender revisions/corrections shall also not be considered.
12. Tenderer should sign on all the pages of the technical bid and the price bid.

13. The price quoted for Import item must be on following basis:
  - a. Ex-Work/factory duly packed airworthy/seaworthy and of international standard
  - b. FOB/FCA
  - c. CIF Hyderabad, Airport Port (all-inclusive i.e. Cost of Goods, Packing, Insurance, Inland transportation, freight etc.)

For local item /supply, offer should be on FOR basis (i.e. total landed cost for delivery at TIFR-TCIS, Hyderabad).

The dimension of the item (viz. H, W, L, weight etc.) shall be specifically stated and also mention whether the mode of shipping the item is Airworthiness / Seaworthiness or both. Accordingly the mode of shipment will be decided by TIFR-TCIS.

**Price must be quoted in the Price Bid Format attached herewith as “Part -B” (Financial Bid).**

14. If equipment offered is to be imported, arrangements for import will be made by us.
15. Tenders who do not comply with any of the condition are liable to be rejected.
16. The Institute shall be under no obligation to accept the lowest or any other tender received in response to this tender notice and shall be entitled to reject any tender without assigning any reason whatsoever.
17. TIFR reserves the right to place the order for part/reduced quantity than what is specified in the tender.
18. **Performance Security:** The Successful bidders should deposit @ 10% of Purchase Order value as Performance Security against issue of order/contract at the earliest. The performance security shall be in the form of Demand Draft in favour of “TIFR Centre for Interdisciplinary Sciences, Hyderabad” payable at Hyderabad (or) Bank Guarantee from State Bank of India & Associates (or) any one of the Nationalized Banks.

The Performance Security will be returned back to the successful supplier on receipt of the Performance Bank Guarantee (or) The 10% Performance Security Deposit may be extended as Performance Bank Guarantee valid for 60 days beyond the date of completion of all contractual obligations of the supplier including warranty period. Vendor should clearly mention their acceptance to this effect in their quote.

**Performance Bank Guarantee:** Performance Bank Guarantee for 10% of the value of supply should be provided and it should be valid for 60 days beyond the date of completion of all contractual obligations of the supplier including warranty period. Performance Bank Guarantee should be from Nationalised Bank. In case Performance Bank Guarantee is not provided, 90% payment only would be released and balance after 60 days beyond the date of completion of all contractual obligations of the supplier including warranty period. Vendor should clearly mention their acceptance to this effect in their quote.

19. **PAYMENT TERMS:** 80% payment shall be made through irrevocable L/C on presentation and receipt of complete, clear shipping documents, material receipt and balance 20% of the amount shall be released after successful installation, commissioning and acceptance of the equipment certified by purchaser and on submission of "Performance Bank Guarantee (PBG)" or "Standby Letter of Credit" for an amount equivalent to 10% of the Purchase Order Value. The PBG or "Standby Letter of Credit" shall be valid for a period of 60 days beyond the date of warranty period. The PBG should be from State Bank of India & Associates (or) any one of the Nationalized Banks.
20. PAYMENT TERMS FOR INDIGENOUS ITEMS: 100% payment shall be released after receipt, installation, commissioning and acceptance of the equipment.
21. Repair / replacement if required any during the warranty period, necessary customs clearance charges / customs duty charges, freight charges for sending back the repair material to supplier and import freight charges of replacement should be borne by the supplier.
22. For Import cases: No Agency commission will be paid as per Govt. of India rules.
23. All bank charges outside India to supplier's account only.
24. TIFR is exempted from paying of Custom Duty under the notification No.51/96 dated 23.07.1996, Excise Duty under the notification No.10/97 dated 01.03.1997, for all procurements/supply meant exclusively for Educational, scientific and research purpose. Whenever the exemption certificate not honored by the authorities, the applicable duty will have to be paid. Hence Excise & Custom duties, if any, should be shown separately.
- TIFR is a public funded research institute and is entitled to concessional rate of GST @ 5% for certain items supplied for research purpose vide notification no. 45/2017 (CGST) and 45/2017 (IGST) dated 14<sup>th</sup> Nov, 2017. The offer should be submitted after fully considering the above notification.
25. **TAXES:** TIFR does not have any exemption/concession on payment of Sales Tax and we are not authorized to issue any Sales Tax Form 'C' & 'D'.
- Deduction of Indian Income Tax Deduction at Source: The Deduction of Indian Income Tax Deduction at source (TDS) will be deducted as per IT Act. The taxes at the time of actual utilization of service etc. will be deducted if applicable any.
- GST rule will be applicable with effect from 01.07.2017. The applicable TDS /other charges if any as per GST rule will be deducted as per new GST regime.
- TIFR-Hyderabad GST NO: 36AAATT3951F2ZG.
26. Bidders, please provide the PAN No., Bank Details, email ID, Contact person details, GST No etc.

**27. The Supplier shall arrange to ship the ordered materials within the mutually agreed delivery period mentioned in the order unless extended with/without penalty. Please mention the Delivery Period Clearly in the Bid, however effort to be taken to deliver the materials at the earliest.**

- a. In case of delay in supply on part of the supplier, a penalty @0.5% per week of order value will be charged for delayed period subject to a maximum of 10% order value.
- b. If the delay in the shipment of the ordered materials attributable to the supplier exceeds agreed time period from the date of original agreed upon date of shipment and extended with/without penalty, the TIFR-TCIS, Hyderabad shall have the right to cancel the contract / purchase order and recover the liquidated damages from other dues of the party or by legal means. It will also affect the other/future business dealings with such suppliers.
- c. The same rate of penalty shall be applicable for late installation of the equipment/instrument also.

**28. COMMENCEMENT OF WARRANTY PERIOD:** The warranty period of an item shall commence from the date of receipt of the item in good working condition and satisfactory installation/commissioning/demonstration at the project site.

**29. ANNUAL MAINTENANCE CHARGES:** The bidder must mention in the quotation, the rate/amount of annual maintenance charges, if we opt for maintenance contract after expiry of the warranty period.

**30.** Specifications are basic essence of the product. It must be ensured that the offers must be strictly as per our specifications. At the same time it must be kept in mind that merely copying our specifications in the quotation shall not make the parties eligible for consideration of the quotation. A quotation has to be supported with the printed technical leaflet/literature of the quoted model of the item by the quoting party/manufacturer.

**31. OBSERVANCE OF LOCAL LAWS:** Wherever applicable (particularly for Local vendors), the vendor / contractor shall comply with all law, statutory rules & regulations etc. The vendor/ contractor shall obtain all necessary permits / approval from the local Governing Body, Police, and other concerned Authorities as may be required under law. The vendor /contractor shall pay all types of taxes, fees, license charges, deposits, duties, tolls, royalty or other charges that may be leviable account of any of the operations connected with the execution of this work/ contract.

**32.** In case of any interpretational issues arises in this tender, the interpretation/decision of TIFR Hyderabad shall be final and binding on the bidder.

33. It is the responsibility of the vendor to make sure that the system being proposed can be exported to India with TIFR Hyderabad as the end user. All clarificatory documentation must be submitted with the Bid.
34. TIFR TCIS reserves the right to ask for or to provide any clarification, changes after the release of this tender. Any changes or clarifications provided by TIFR-TCIS, Hyderabad may be checked at TIFR-TCIS website: <https://www.tifrh.res.in/index.php/commercial-tenders>

**ADMINISTRATIVE OFFICER  
(PURCHASE SECTION)  
TIFR, HYDERABAD**

**Financial Bid for Supply, Installation, Commissioning of  
Submerged Type Wire-Cut EMD Machine for TIFR Hyderabad.  
(Part - B)**

**Annexure - D**

TIFR Hyderabad Enquiry No & Date: \_\_\_\_\_

Due date: \_\_\_\_\_

Bidder's Quotation Ref No. & Date: \_\_\_\_\_

Financial Bid (Bidders must quote their rates using this Format)

S.No.	Item Description as per tender	Make/Brand/ Type	Qty.	Rate per unit (Currency)	Basic Cost of main item (In Currency)
A.					
B.	Ex-Works cost (Duly packed Airworthy/Seaworthy of international standard)				
C.	FOB /FCA Cost (Name of Airport_____)				
D.	CIP/CIF Cost (Upto Hyderabad Airport)(all inclusive i.e. Cost of Goods, Packing, Insurance, Inland transportation, freight etc.)				

**Note:**

1. All the column should be appropriately filled and not left blank.
2. Do not include any other charges, taxes, duties etc. in the Basic Cost of the item.
3. Any accessories, optional items should be shown separately using above format.
4. Use separate sheet for detail description, specification of the item, but prices should be quoted in same format.
5. Prices quoted in Indian Currency should be on F.O.R. basis and mentioned separately using different table format showing all the applicable taxes/Duties like GST , Freight & Transportation charges and installation charges etc.
6. TIFR Hyderabad being educational & research institute, discounted price shall be offered.

**Signature of the Bidder**

Name, Address contact no \_\_\_\_\_

& email id of the bidder/ \_\_\_\_\_

Company with company's Stamp or Seal \_\_\_\_\_

**Date:** \_\_\_\_\_

**Place:** \_\_\_\_\_