

TATA INSTITUTE OF FUNDAMENTAL RESEARCH

Plot No.36/P, Gopanpally Village, Serilingampally Mandal, Ranga Reddy District.
Hyderabad - 500 107, Telangana, India.

Telephone: +91-40-2020 3040
Website: www.tifrh.res.in

Email: purchasegroup@tifrh.res.in
harid@tifrh.res.in

Date: 11-10-2019

Notice Inviting Tender cum Tender Document (Two Part Public Tender) for the following items:

Supply, Installation, Commissioning of Floor Model Ultra and 4 Litre Floor Model High Speed Centrifuge for TIFR Hyderabad.

As per our technical specifications: **Qty. - 1 No.**

Public Tender No.	TFR/PD/IC19-17/19017
Published on	12-10-2019
Tender Fees	For Indian Supplier - Rs. 500/-
	For Foreign Supplier-USD 100
EMD	For Indian Supplier - Rs. 1,20,000/-
	For Foreign Supplier - USD 1695
Estimated Cost (Estimated cost upto TIFR, Hyderabad inclusive of all applicable charges)	Rs. 60,00,000/-
Last Date for Submission of Bid	04-11-2019 upto 13.00 Hrs.
Date of Opening Bids(Part A)	04-11-2019 at 15.00 Hrs.

Both Technical Bid (Part A) and Financial Bid (Part B) to be submitted within the due date and time in separate envelopes and marked on top as Part A and Part B. These two sealed envelopes should be further put in one Master Envelope super scribed with the Tender No., Due Date in Bold Letters.

Please see attached sheet for conditions of tender.

Note: All future corrigendum/addendum will be published in TIFR Hyderabad website only. All prospective bidders are requested to visit our website regularly for any such updates/Corrigendum/Addendum.

**ADMINISTRATIVE OFFICER
(PURCHASE SECTION)
TIFR, HYDERABAD**

SCOPE OF SUPPLY – Annexure A

Technical Specifications for Supply, Installation, Commissioning of Floor Model Ultra and 4 Litre Floor Model High Speed Centrifuge for TIFR Hyderabad.

Technical Specifications:

Floor model high speed and ultra-centrifuge

A. Specification of ultra-centrifuge (Floor model)

1. Maximum Speed: 100,000 rpm and above
2. Maximum RCF (x g): 800,000 and above
3. Set Speed Control Accuracy: ± 2 rpm of set speed (above 1,000 rpm) or better
4. Set Temperature: 0 to 40°C in 1°C increments
5. Temperature Control: ± 0.5 °C of set temperature
6. Temperature display: Actual rotor temperature in 0.1°C increments
7. Ambient Operating Range: 10 to 35°C
8. Acceleration Profiles: 10
9. Deceleration Profiles: 11
10. Set Speed: 1,000 to 100,000 rpm in 100 rpm increments
11. Set Time: Up to 999 hours 59 minutes
12. User- Defined Programs: 1,000 with up to 30 steps each
13. User Profiles: 50 unique users and passwords
14. Large touch-screen display with adjustable positions (swivel and tilt)

Networking:

1. Simultaneous data transfer, printing and communication using USB 2.0 type A connectors and RJ-45 connector respectively
2. Simulation Software (to be included with the main system) : Windows based Software should provide unprecedented centrifugation capabilities which should assists in developing efficient centrifugation methods, selecting the rotor and labware for a given application, then simulating the results before performing separations of proteins and sub-cellular particles.

Fixed Angle Rotor: 8 x 39mL

Rotor Maximum Capacity: 312mL or more

Rotor Maximum Speed: 70,000 RPM or more

Rotor Maximum Force: 504,000 x g or more

Rotor k-factor: 44

Quantity: 50 numbers of 39mL & 15mL Quick Seal Polyallomer tubes to be provided along with the rotor with proper adapters. These tubes should be able to run at the same gForce of the rotor of 504,000 x g.

Quantity: 6 number of 26.3mL Polycarbonate bottle assembly to be provided along with the rotor. Proper tool kits to be included.

Rotor Material: Titanium

Optional Items: 50 number of 13.5ml thin walled polyallomer tubes to be quoted along with adapters and spacers.

Swinging Bucket Rotor: 6 x 13.2mL

Rotor Maximum Capacity: 79.2mL or more
Rotor Maximum Speed: 41,000 RPM or more
Rotor Maximum Force: 288,000 x g or more
Rotor k-factor: 124

Quantity: 50 numbers of 3.5mL Quick Seal Polyallomer tubes to be provided along with the rotor with proper adapters. These tubes should be able to run at the same gForce of the rotor of 288,000 x g.

Quantity: 100 number of 13.2mL thin walled polyallomer and 100 number of 13.2mL Ultra Clear tubes to be included along with the rotor. These tubes should run at the same gForce of the rotor of 288,000 x g.

Rotor Material: Titanium

Optional Items: 50 number of 5.9mL Quick Seal polyallomer tubes to be quoted along with adapters and spacers.

Swing Bucket Rotor: 6 x 38.5mL (OPTIONAL ROTOR)

Rotor Maximum Capacity: 231mL or more
Rotor Maximum Speed: 32,000 RPM or more
Rotor Maximum Force: 175,000 x g or more
Rotor k-factor: 204

Quantity: 50 numbers of 15mL Quick Seal Polyallomer Bell Top tubes to be provided along with the rotor with proper adapters. These tubes should be able to run at the same gForce of the rotor of 175,000 x g.

Quantity: 50 number of 38.5mL thin wall polyallomer tubes, 100 number of 38.5mL Ultra Clear tubes and 25 number of 31.0mL thick wall polycarbonate tubes to be included along with the rotor. These tubes should be able to run at the same gForce of the rotor of 175,000 x g.

Rotor Material: Titanium

Swinging Bucket Rotor: 6 x 14mL (OPTIONAL ROTOR)

Rotor Maximum Capacity: 84mL or more
Rotor Maximum Speed: 40,000 RPM or more
Rotor Maximum Force: 285,000 x g or more
Rotor k-factor: 137

Quantity: 50 numbers of 3.5mL Quick Seal Polyallomer tubes to be provided along with the rotor with proper adapters. These tubes should be able to run at the same gForce of the rotor of 285,000 x g.

Quantity: 100 number of 13.2mL thin walled polyallomer and 100 number of 13.2mL Ultra Clear tubes to be included along with the rotor. These tubes should run at the same gForce of the rotor of 285,000 x g.

Rotor Material: Titanium

Optional Items: 50 number of 5.9mL Quick Seal polyallomer tubes to be quoted along with adapters and spacers.

Specific System Requirements:

1. Braking: Regenerative with power reclamation
2. Electronic Signature: Yes
3. Rotor Tracking: By serial number
4. Drive: Frequency-controlled, brushless direct-drive induction motor
5. Drive Cooling: Air-cooled
6. Maximum Heat Dissipation: 3400 BTU/hour (1.0kW)
7. Noise Level 1 meter in front of Centrifuge: <51 dBA
8. Refrigeration System: Thermoelectric – no CFCs, ODCs
9. Power tolerance range: 190 to 250 VAC or better
10. Chamber temperature should remain as set for 3 minutes or more after the door is open for back to back run
11. A solid state thermopile shall monitor the chamber temperature
12. Humidity restrictions: <80% at <35°C (non-condensing)
13. Shall give audible sounds for: Boot up, Start of Run, End of Run, Diagnostics/Alert, Vacuum low enough to open door
14. Power Requirement: 200-240V, 30 A, 50/60 Hz
15. Dimensions: 94W x 68.1D x 125.7H cm (37W x 26.8D x 49.5H inches)
16. Weight: 485 kg (1068 lb.)
17. Advanced Software features:
 - i. On-board software with inbuilt calculations, simulations and references.
 - ii. Real-time run graphing.
 - iii. Powerful on-board simulation and calculation tools.
 - iv. Speed/temperature vs. time plot.
 - v. Step-by-step zonal/CF operation screens.
 - vi. On screen help.

High Speed centrifuge floor model (4 Litre capacity)

1. Maximum Speed: 30,000 rpm and above
2. Maximum RCF (x g): 110,500 x g and above
3. Maximum Volume: Equal or more than 4 Liters
4. Material of construction of Rotor: Metallic only.
5. Set Speed Control Accuracy: ± 10 rpm of set speed (above 1,000- 10,000 rpm) and $\pm 0.15\%$ for 10,001- max speed.
6. Set Temperature: -20 to 40°C in 1°C increments
7. Temperature Control: $\pm 2^\circ\text{C}$ of set temperature
8. Ambient Operating Range: 16 to 38°C
9. Over Temperature shutdown point: 50°C or better
10. Acceleration Profiles: 11
11. Deceleration Profiles: 12
12. Set Speed: 500 to 30,000 rpm in 10 rpm increments or better
13. Set Time: Up to 99 hours 59 minutes
14. User- Defined Programs: 1,000 with up to 30 steps each
15. User Profiles: 50 unique users and passwords
16. Large touch-screen display with adjustable positions (swivel and tilt)
17. Centrifuge should be compatible for both fixed angle and swing out rotors that can run over 100,000 x g force running at temperature of 4°C.

Fixed Angle Rotor 8 x 50 mL:

Rotor Maximum Capacity: 8 x 50 mL

Rotor Maximum Speed: 20,000 RPM or more

Rotor Maximum Force: 48,400 RCF or more

Rotor k-factor: 769 or less

Rotor Material: Aluminum

50mL PP bottles with screw on caps to be quoted along with the rotor (25 no's)

Swing out 6 x 15mL:

Rotor Maximum Capacity: 6 x 15mL

Rotor Maximum Speed: 24,000 RPM or more

Rotor Maximum Force: 110,500 RCF or more

Rotor k-factor: 376 or less

Rotor Material: Rotor Aluminum & Titanium Buckets

15mL polypropylene open top tubes (50 nos) to be quoted along with rotor.

10mL polypropylene Quick Seal bell top tubes (50 nos) to be quoted along with proper adapters.

The above tubes should match the same speed of the rotor.

Fixed Angle Rotor 8 x 50mL: (OPTIONAL ROTOR)

Rotor Maximum Capacity: 8 x 50mL

Rotor Maximum Speed: 25,000 RPM or more

Rotor Maximum Force: 75,600 RCF or more

Rotor k-factor: 418 or less

Rotor Material: Aluminum

Specific System Requirements:

Electronic Signature: Yes

The system shall have inbuilt mechanism to reach desired vacuum levels much faster.

An over temperature system shall provide flexibility, sample protection, and safety for the user.

Rotor Tracking: By serial number

Drive: Brushless, high-torque, switched-reluctance motor

Drive Cooling: Air-cooled

Maximum Heat Dissipation: 5120 Btu/h (1.5 kW)

Noise Level 1 meter in front of Centrifuge: 70 dBA or better

Refrigeration System: Refrigerant 404A (HVC)

Humidity restrictions: <80% at (non-condensing)

Shall give audible sounds for: Boot up, Start of Run, End of Run, Diagnostics/Alert, Vacuum low enough to open door

Power Requirement: 200-240V, 30 A, 50/60 Hz

Dimensions: 71W x 86D x 86H cm (28W x 34D x 34H inches)

Safety Requirements:

Shall have an inbuilt mechanism to calculate rotor inertial energy and stops the system to prevent rotor failures.

Shall have optional HEPA filter.

Warranty: 3 years from the date of installation. Optional Extended warranty prices to be mentioned separately.

Audited Annual Turnover

Annexure - B

S.No.	Financial/ Accounting Year	Profit (Rs.)	Loss (Rs.)	Annual Turnover (in INR)
1.				
2.				
3.				

Authorized Signatory with Seal

Note:

This Audited Annual Turnover (Annexure - B) for the last 3 years should be certified by Chartered Accountant (CA) as per the format given above duly signed and stamped by the CA on their letterhead.

TATA INSTITUTE OF FUNDAMENTAL RESEARCH

Centre for Interdisciplinary Sciences

Plot No.36/P, Gopanpally Village, Serilingampally Mandal, Ranga Reddy District.
Hyderabad - 500 107, Telangana, India.

(PURCHASE SECTION)

1. **PART “A” (Technical Bid) consisting of Technical Bid with Commercial Terms and PART “B” (Financial Bid) consisting of only Price** shall be submitted in **separate** sealed envelopes duly superscribed with the tender enquiry number, and the due date in bold letters, addressed to the Administrative Officer, Tata Institute of Fundamental Research, Plot No.36/P, Gopanpally Village, Serilingampally Mandal, Ranga Reddy District. Hyderabad-500 107, Telangana, India. The envelopes should be clearly marked on top as either PART “A” or PART “B”.

The two sealed covers should be further put in a master cover superscribed with the Tender Enquiry No., Due Date in bold letters, addressed to the Purchase Officer, Tata Institute of Fundamental Research, Plot No.36/P, Gopanpally Village, Serilingampally Mandal, Ranga Reddy District. Hyderabad-500 107, Telangana, India. The sealed master envelop has to be delivered by hand/courier at the security Gate Office of TIFR-TCIS on or before 13.00 hrs. on the due date specified. The technical bid will be opened in the presence of attending tenderers at 15.00 hrs. on the due date at Purchase Section, TIFR-TCIS, Hyderabad. Tenders submitted after 13.00 hrs. on due date will not be considered.

2. **In case the PART “A” and Part “B” bids are not sealed in separate envelopes the tender will be rejected.**
3. The technical bid should not contain any indication of the price. The bidder should take special care not to mention anything related to pricing and costing aspect of whatsoever nature. The technical bid should include/contain only technical specifications, technical literature, drawing, quantity, manufacturing and delivery schedule, mode and terms of payment, mode of dispatch, the quantum and percentage of statutory levies payable by the purchaser as extra and all related commercial terms and conditions for the supply and for the services like erection and commissioning to be rendered by the tenderer. The details of the validity of the tender should also be indicated along with the commercial details.
4. After scrutiny of Technical Bids, Financial bids of only those bidders who are shortlisted on technical basis will be opened at on later date. The opening date, time and venue will be intimated to the technically successful bidder.
5. **All the bidders/contractors should provide Company Authorization Letter duly signed and stamped by Competent Authority to participate in the tender related meetings at TIFR Hyderabad.**

6. Tender Document Fee:

- a. For Indian Supplier: Tender fee for Rs. 500/- (Non-refundable) in the form of D.D. in favour of "TIFR Centre for Interdisciplinary Sciences", payable at Hyderabad to be enclosed with the Technical Bid (Part - A).
- b. For Foreign Supplier: Tender fee of USD 100 (Non-refundable) in the form of advance cheque in favour of "TIFR Centre for Interdisciplinary Sciences", payable at Hyderabad to be enclosed with the Technical Bid (Part A).

7. Earnest Money Deposit (EMD):

- a. For Indian Supplier: Earnest Money Deposit (EMD) for Rs. 1,20,000/-in the form of D.D. in favour of "TIFR Centre for Interdisciplinary Sciences", payable at Hyderabad to be enclosed along with the technical Bid (Part - A).
- b. For Foreign Supplier: Earnest Money (EMD) for USD 1695 in the form of advance cheque in favour of "TIFR Centre for Interdisciplinary Sciences", payable at Hyderabad to be enclosed with the Technical Bid (Part - A).

EMD shall be interest free and it will be refunded to the unsuccessful bidder without any interest. EMD will be forfeited if the bidder withdraws or amend impairs orderogates from the tender in any respect.

8. Bidders who have not accepted the job/order awarded to them or withdrawn from the tender process OR whose EMD/Security deposit has been forfeited in the past, their bids will not be considered and treated as ineligible / disqualified.

9. After downloading the documents please inform your company details such as name, address, telephone nos., contact person and email address etc. by email to us (purchasegroup@tifrh.res.in , harid@tifrh.res.in) to enable us to inform prospective bidder for any corrigendum/changes if any; in the Tender document before due date.
10. Quotations must be valid for a period of 180 days from the due date.
11. Tenders containing correction, overwriting will not be considered. Late or delayed/Unsolicited quotations/offers shall not be considered at all. These will be returned to the firms as it is. Post tender revisions/corrections shall also not be considered.
12. Tenderer should sign on all the pages of the technical bid and the price bid.

13. The price quoted for Import item must be on following basis:
 - a. Ex-Work/factory duly packed airworthy/seaworthy and of international standard
 - b. FOB/FCA
 - c. CIF Hyderabad, Airport Port (all-inclusive i.e. Cost of Goods, Packing, Insurance, Inland transportation, freight etc.)

For local item /supply, offer should be on FOR basis (i.e. total landed cost for delivery at TIFR-TCIS, Hyderabad).

The dimension of the item (viz. H, W, L, weight etc.) shall be specifically stated and also mention whether the mode of shipping the item is Airworthiness / Seaworthiness or both. Accordingly the mode of shipment will be decided by TIFR-TCIS.

Price must be quoted in the Price Bid Format attached herewith as “Part -B” (Financial Bid).

14. If equipment offered is to be imported, arrangements for import will be made by us.
15. Tenders who do not comply with any of the condition are liable to be rejected.
16. The Institute shall be under no obligation to accept the lowest or any other tender received in response to this tender notice and shall be entitled to reject any tender without assigning any reason whatsoever.
17. TIFR reserves the right to place the order for part/reduced quantity than what is specified in the tender.
18. **Performance Security:** The Successful bidders should deposit @ 10% of Purchase Order value as Performance Security against issue of order/contract to be submitted within 15 days against issue of order/contract. The performance security shall be in the form of Demand Draft in favour of “TIFR Centre for Interdisciplinary Sciences, Hyderabad” payable at Hyderabad (or) Bank Guarantee from State Bank of India & Associates (or) any one of the Nationalized Banks.

The Performance Security will be returned back to the successful supplier on receipt of the Performance Bank Guarantee (or) The 10% Performance Security Deposit may be extended as Performance Bank Guarantee valid for 60 days beyond the date of completion of all contractual obligations of the supplier including warranty period. Vendor should clearly mention their acceptance to this effect in their quote.

Performance Bank Guarantee: Performance Bank Guarantee for 10% of the value of supply should be provided and it should be valid for 60 days beyond the date of completion of all contractual obligations of the supplier including warranty period. Performance Bank Guarantee should be from Nationalised Bank. In case Performance Bank Guarantee is not provided, 90% payment only would be released and balance after 60 days beyond the date of completion of all contractual obligations of the supplier including warranty period. Vendor should clearly mention their acceptance to this effect in their quote.

19. **PAYMENT TERMS:** 80% payment shall be made through irrevocable L/C on presentation and receipt of complete, clear shipping documents, against confirmation from TIFR, Hyderabad and balance 20% of the amount shall be released after successful installation, commissioning and acceptance of the equipment certified by purchaser and on submission of "Performance Bank Guarantee (PBG)" or "Standby Letter of Credit" for an amount equivalent to 10% of the Purchase Order Value. The PBG or "Standby Letter of Credit" shall be valid for a period of 60 days beyond the date of warranty period. The PBG should be from State Bank of India & Associates (or) any one of the Nationalized Banks.

20. PAYMENT TERMS FOR INDIGENOUS ITEMS: 100% payment shall be released after receipt, installation, commissioning and acceptance of the equipment.

21. Repair / replacement if required any during the warranty period, necessary customs clearance charges / customs duty charges, freight charges for sending back the repair material to supplier and import freight charges of replacement should be borne by the supplier.

22. For Import cases: No Agency commission will be paid as per Govt. of India rules.

23. All bank charges outside India to supplier's account only.

24. TIFR is exempted from paying of Custom Duty under the notification No.51/96 dated 23.07.1996, Excise Duty under the notification No.10/97 dated 01.03.1997, for all procurements/supply meant exclusively for Educational, scientific and research purpose. Whenever the exemption certificate not honored by the authorities, the applicable duty will have to be paid. Hence Excise & Custom duties, if any, should be shown separately.

TIFR is a public funded research institute and is entitled to concessional rate of GST @ 5% for certain items supplied for research purpose vide notification no. 45/2017 (CGST) and 45/2017 (IGST) dated 14th Nov, 2017. The offer should be submitted after fully considering the above notification.

25. **TAXES:** TIFR does not have any exemption/concession on payment of Sales Tax and we are not authorized to issue any Sales Tax Form 'C' & 'D'.

Deduction of Indian Income Tax Deduction at Source: The Deduction of Indian Income Tax Deduction at source (TDS) will be deducted as per IT Act. The taxes at the time of actual utilization of service etc. will be deducted if applicable any.

GST rule will be applicable with effect from 01.07.2017. The applicable TDS /other charges if any as per GST rule will be deducted as per new GST regime.

TIFR-Hyderabad GST NO: 36AAATT3951F2ZG.

26. Bidders, please provide the PAN No., Bank Details, email ID, Contact person details, GST No etc.

27. The Supplier shall arrange to ship the ordered materials within the mutually agreed delivery period mentioned in the order unless extended with/without penalty. Please mention the Delivery Period Clearly in the Bid, however effort to be taken to deliver the materials at the earliest.

- a. In case of delay in supply on part of the supplier, a penalty @0.5% per week of order value will be charged for delayed period subject to a maximum of 10% order value.
- b. If the delay in the shipment of the ordered materials attributable to the supplier exceeds agreed time period from the date of original agreed upon date of shipment and extended with/without penalty, the TIFR-TCIS, Hyderabad shall have the right to cancel the contract / purchase order and recover the liquidated damages from other dues of the party or by legal means. It will also affect the other/future business dealings with such suppliers.
- c. The same rate of penalty shall be applicable for late installation of the equipment/instrument also.

28. COMMENCEMENT OF WARRANTY PERIOD: The warranty period of an item shall commence from the date of receipt of the item in good working condition and satisfactory installation/commissioning/demonstration at the project site.

29. ANNUAL MAINTENANCE CHARGES: The bidder must mention in the quotation, the rate/amount of annual maintenance charges, if we opt for maintenance contract after expiry of the warranty period.

30. Specifications are basic essence of the product. It must be ensured that the offers must be strictly as per our specifications. At the same time it must be kept in mind that merely copying our specifications in the quotation shall not make the parties eligible for consideration of the quotation. A quotation has to be supported with the printed technical leaflet/literature of the quoted model of the item by the quoting party/manufacturer.

31. OBSERVANCE OF LOCAL LAWS: Wherever applicable (particularly for Local vendors), the vendor / contractor shall comply with all law, statutory rules & regulations etc. The vendor/ contractor shall obtain all necessary permits / approval from the local Governing Body, Police, and other concerned Authorities as may be required under law. The vendor /contractor shall pay all types of taxes, fees, license charges, deposits, duties, tolls, royalty or other charges that may be leviable account of any of the operations connected with the execution of this work/ contract.

32. In case of any interpretational issues arises in this tender, the interpretation/decision of TIFR Hyderabad shall be final and binding on the bidder.

33. It is the responsibility of the vendor to make sure that the system being proposed can be exported to India with TIFR Hyderabad as the end user. All clarificatory documentation must be submitted with the Bid.
34. TIFR TCIS reserves the right to ask for or to provide any clarification, changes after the release of this tender. Any changes or clarifications provided by TIFR-TCIS, Hyderabad may be checked at TIFR-TCIS website: <https://www.tifrh.res.in/index.php/commercial-tenders>

**ADMINISTRATIVE OFFICER
(PURCHASE SECTION)
TIFR, HYDERABAD**

**Financial Bid for Supply, Installation, Commissioning of Floor Model Ultra
and 4 Litre Floor Model High Speed Centrifuge for TIFR Hyderabad.
(Part - B)**

Annexure - D

TIFR Hyderabad Enquiry No & Date: _____

Due date: _____

Bidder's Quotation Ref No. & Date: _____

Financial Bid (Bidders must quote their rates using this Format)

S.No.	Item Description as per tender	Make/Brand/ Type	Qty.	Rate per unit (Currency)	Basic Cost of main item (In Currency)
A.					
B.	Ex-Works cost (Duly packed Airworthy/Seaworthy of international standard)				
C.	FOB /FCA Cost (Name of Airport_____)				
D.	CIP/CIF Cost (Upto Hyderabad Airport)(all inclusive i.e. Cost of Goods, Packing, Insurance, Inland transportation, freight etc.)				

Note:

1. All the column should be appropriately filled and not left blank.
2. Do not include any other charges, taxes, duties etc. in the Basic Cost of the item.
3. Any accessories, optional items should be shown separately using above format.
4. Use separate sheet for detail description, specification of the item, but prices should be quoted in same format.
5. Prices quoted in Indian Currency should be on F.O.R. basis and mentioned separately using different table format showing all the applicable taxes/Duties like GST , Freight & Transportation charges and installation charges etc.
6. TIFR Hyderabad being educational & research institute, discounted price shall be offered.

Signature of the Bidder

Name, Address contact no _____

& email id of the bidder/ _____

Company with company's Stamp or Seal _____

Date: _____

Place: _____